
Contents

PART - I

INTRODUCTION	15
BILE	16
CHOLECYSTITIS	19
GALL STONE (CHOLELITHIASIS)	22
VARIETY OF STONES	23
SYMPTOMS	26
EXAMINING THE GALL BLADDER	27
COMPLICATIONS	28
MANAGEMENT	29
MIASMATIC APPROACH	32
TREATMENT OF GALL STONES	36
BIOCHEMIC AND OTHER "DESI" REMEDIES	48
SUMMARY OF REMEDIES MENTIONED	49
A VIEW ON HOMOEOPATHIC PRACTICE OF DRAINAGE (WITH REFERENCE TO GALL BLADDER STONE)	49
FACTS ABOUT OLIVE OIL	53
EXERCISE DECREASES THE RISK OF GALL STONE	55
POTENCY DECISION OF THE REMEDIES ARRIVED AT	56
THE ARRIVED AT GALL STONE REMEDIES AND VIEWS OF SCHOLARS ON THEIR POTENCIES	58
MEASURES TO PREVENT FORMATION OF GALL STONES	59
DIET FOR GALL STONE PATIENTS	61
ON SILENT GALL STONES	64
LAST WORDS	65

PART - II

INTRODUCTION	69
KIDNEYS	69
URETERS	76
BLADDER	76
URETHRA	77
MICTURITION	78
RENAL CALCULI	79
SYMPTOMS	80
TYPES OF STONES	82
DIAGNOSIS	83
COMPLICATIONS AND PROGNOSIS	84
STONE IN URETER	85
STONE IN BLADDER	87
HOMOEOPATHIC TREATMENT FOR RENAL CALCULI AND COLIC	90
VIEWS OF DIFFERENT HOMOEOPATHS ON RENAL STONES AND COLIC	95
BIOCHEMIC AND OTHER "DESI" REMEDIES	101
SUMMARY OF DOCTORS VIEWS	104
PREVENTIONS AND RECOMMENDATIONS IN TREATMENT	105
VIEWS ABOUT KIDNEY STONES - TRUE OR FALSE?	106
LAST WORDS	110

stone colic when little twinges go in every direction from that locality. Gall stone colic..... pains with jaundice.. pains are spasmodic, increase in intensity and diminish but do not let up entirely. *It will let the little gall stone loose and it will pass through.*

1. Recommendation for dissolving gall stone and colic — Lyc., Nat-s., Nux-v., Berb-v.

Kent

2. For removal of stone — Berb.

For colic and to prevent further formation of stone — Calc. , Menth. and Card-m., Calc. has a special reference of from Dr. Richard Hughes.

N.C. Ghosh

Comparative Materia Medica

3. Therapeutics By-ways recommends the intake of Olive oil with reference to Dr. O.M. Torry of New York as published in New York Medical Journal. A tablespoonful every 3 to 4 hours and a smaller dose repeated oftener is most effective for expulsion of stones. For prevention of formation of stones, Dr. Anshutz gives reference of Dr. Thayer, Chin. 6 twice daily for a year. Like Dr. N.C. Ghosh's reference of Dr. R. Hughes, Dr. Anshutz also quotes him and recommends Calc. for colic. For colic, he says Ip. 6 is also effective.

His recommendations in a sum are:

For colic — Chin., Calc. and Ip.

For stone removal — Olive oil.

Anshutz

Therapeutic By-ways

4. During colic: Calc. 30 every 15 minutes for 3 hours. When no results, take Berb. Q every twenty minutes. Make the patient sit in hot water. Also let him sip hot water with Mag-p. 3x.

To prevent recurrence of attack: Chin. Q or Chin. 6x. He also refers to Dr. Thayer who recommends Chin. 6x in 6 globules every other day upto 10 doses. Thereafter every 4th day, every 5th day, and so on till it comes to a dose of 6 globules once a month.

Bhattacharya

Homoeopathic Family Practice

5. (i) Main remedy to expel stone and avoid reformation — Chel.
- (ii) For colic — Chol.
- (iii) Expulsion — Take a drink of Olive oil and follow it by some lemon juice. After 3 or 4 minutes, take more of oil and follow it up again with lemon juice. Continue it till half a pint of oil is consumed. Lemon juice helps digest Olive oil. This treatment is said to result in passing

rence, Chin. 6x twice daily for 4 weeks. Give Calc. 30 as an intercurrent, weekly.

T.P. Chatterjee

Highlight of Homoeopathic Practice

11. Chel., Chion. and Hydr. in drops for gall stone colic and expulsion.

Boericke

Materia Medica

12. For colic and expulsion, Nux-v. and Nat-s. respectively. Colic at a fixed time, Chin.

For expulsion and dissolving, Chol. 3x.

Shinghal

Bedside Prescriber

13. Chol. 3x is the head remedy. For colic, Chel. 3, Calc. 200 and Berb. Q as per symptoms. For periodic recurrence of colic, Chin. 6, six hourly first month and Chin. 30 on alternate days, the second month. Also Card-m. and Nux-v. according to symptoms.

Dhama

Homoeopathy, a Complete Handbook

14. Bell. 30 to 200, Dios. Q, five to 10 drops, 4 hourly, and Chel. 30 to 200 for colic.

Khokhar

Therapeutic Compendium